

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004155-01	LONG-AIRDOX		SCOOP				3'	8'															
5004155-01		484																					
5004155-01		486																					
5004155-01		488																					
5004155-01									20043	4	150												
5004155-01									30000	4	50/75												
5004155-01									MC150XP	4	50												
5004155-02	LONG-AIRDOX		SCOOP				3'	8'															
5004155-02		484																					
5004155-02		486																					
5004155-02		488																					
5004155-02		601																					
5004155-02		602																					
5004155-02		603																					
5004155-02		604																					
5004155-02		605																					
5004155-02									20043	4	150												
5004155-02									30000	4	50 OR 75												
5004155-02									MC150XP	4	50,65,71 OR 75												
5004156-01	LONG-AIRDOX		TRACTOR				4'5"	8'									28575F-EL	E					
5004156-01		601																	940916	A	28575F-EL	B	
5004156-01		602																					
5004156-01		603																					
5004156-01		604																					
5004156-01		605																					
5004156-01									20043	4	150												
5004156-01									30000	4	50 OR 75												
5004156-01									MC150XP	4	50												
5004156-01																							
5004157-01	LONG-AIRDOX		TRACTOR	305"	96"	53"	4'5"	8'									B-27823-SW	A					
5004157-01		601																	940917	A	28575F-EL	B	
5004157-01		602																					
5004157-01		603																					
5004157-01		604																					
5004157-01		605																					
5004157-01									20043	4	150												
5004157-01									30000	4	50/75												
5004157-01									MC150XP	4	50												
5004157-01																							
5004403	LONG-AIRDOX		SCOOP				3'7"	8'															
5004403		602																					
5004403																							
5004403																							
5004403		602																					
5004403									20043	4	150												
5004403									30000	4	50/75												
5004403									MC150XP	4	50/75												
5004409	FLETCHER		BOLTER	252"	108"	32"	7'	20'															
5004409																							
5004409																							
5004409		DDO																					
5004409		DDR																					
5004409		RR II																					
5004409												LP	6	C	CYF								
5004409																							
5004506-01	EIMCO		BOLTER	174"	96"	24"	36"	20'															
5004506-01																							
5004506-01		300																					
5004506-01												LP	4	C	C								
5004506-01																							
5004562	FLETCHER		BOLTER	252"	108"	31"	6'	20'															
5004562																							
5004562		DDO																					
5004562																							
5004562									20043	1	150												
5004562									30000	1	50 OR 75												
5004562									MC150XP	1	50												
5004562												LP	6	C	C								
5004562																							
5004567	EIMCO		SCOOP	348"	120"	60"	5'	10'															
5004567																							
5004567																							
5004567		936 M																					
5004567																							
5004567									20043	4	150												
5004567									30000	4	50/75												
5004567									MC150XP	4	50/75												

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5004632	2480 REMOTE																							
5004632									20043	2	150													
5004632									30000	2	50 OR 75													
5004632									MCI50XP	2	50													
5004632												LP	1	C	C			28575-EL	1					
5004633	EIMCO		MINER	312"	108"	30"	3.5'	20'																
5004633																				960212	B	28575F-EL	C	
5004633		2810																						
5004633									20043	2	150													
5004633									30000	2	50 OR 75													
5004633									MCI50XP	2	50													
5004633												LP	2	C	C			28575-EL	1					
5004634	EIMCO		MINER	312"	108"	30"	42"	20'																
5004634																				960213	B	28575F-EL	C	
5004634		2810 REMOTE																						
5004634									20043	2	150													
5004634									30000	2	50 OR 75													
5004634									MCI50XP	2	50													
5004634												LP	1	C	C			28575-EL	1					
5004637	EIMCO		MINER	288"	104"	24"	6'	20'																
5004637																				960214	C	28575F-EL	C	
5004637		2460																						
5004637									20043	2	150													
5004637									30000	2	50 OR 75													
5004637									MCI50XP	2	50													
5004637												LP	4	C	C			28575-EL	1					
5004638	EIMCO		MINER	319"	114"	28"	8'	20'																
5004638																				960215	C	28575F-EL	C	
5004638		2810																						
5004638									20043	3	150													
5004638									30000	3	50 OR 75													
5004638									MCI50XP	3	50													
5004638												LP	4	C	C			28575-EL	1					
5004639	EIMCO		MINER	319"	114"	28"	8'	20'								LEFT								
5004639																				960216	C	28575F-EL	C	
5004639		2810/SCR																						
5004639									20043	3	150													
5004639									30000	3	50 OR 75													
5004639									MCI50XP	3	50													
5004639												LP	4	C	C			28575-EL	1					
5004640	EIMCO		MINER	288"	104"	24"	7'	20'																
5004640																				960217	C	28575F-EL	C	
5004640		2460																						
5004640									20043	3	150													
5004640									30000	3	50 OR 75													
5004640									MCI50XP	3	50													
5004640												LP	4	C	C			28575-EL	1					
5004668-02	JOY		MINER	307"	115"	39"	10'	20'																
5004668-02																								
5004668-02																				5004668-01	B	28575-EL	B	
5004668-02																				5004668-02	A	28575D-EL	A	
5004668-02		12 CM																		941105	B	28575F-EL	B	
5004668-02									20043	3	150													
5004668-02									30000	3	50 OR 75													
5004668-02									MCI50XP	3	50													
5004668-02												LP	4	C	C			28575-EL	B					
5004678	WAGNER		SCOOP				5'	9'																
5004678																								
5004678																				940910	C	28575F-EL	B	
5004678		LST5S																		980315	D	28575F-EL	D	
5004678									20043	4	150													
5004678									30000	4	50 OR 75													
5004678									MCI50XP	4	50 OR 75													
5004684	JOY		LOADER	201"	94-1/2"	32"	42"	NA																
5004684																								
5004684		14 BU 10																		941204	B	28575F-EL	B	
5004684									20043	2	150													
5004684									30000	2	50 OR 75													
5004684									KOEHLER	2	50													
5004684									MCI50XP	2	50													
5004684												LP	2	C	C									

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004684	DOSCO		ROADHEAD R	420"	118"	96"	16'	18'										28575-EL	B				
5004689																				960201	B	28575F-EL	C
5004689		MK3																					
5004689									20043	4	150												
5004689									30000	4	50 OR 75												
5004689									MCI50XP	4	50												
5004689												LP	8	C	C			28575-EL	B				
5004692	LONG-AIRDOX		FACE DRILL	348"	86"	30"	8'	20'															
5004692		TDF 24A																		950303	B	28575F-EL	B
5004692									20043	2	150												
5004692									30000	2	50 OR 75												
5004692									MCI50XP	2	50												
5004692												LP	6	C	C			28575-EL	B				
5004700	LONG-AIRDOX		BOLTER	14'	6'-5"	40"MAX.-28"MIN.	10'	20'															
5004700																				950105	B	28575F-EL	B
5004700																				980306	C	28575F-EL	D
5004700		TD1-29																					
5004700		TD1-31																					
5004700		TD1-36																					
5004700		TD1-43																					
5004700									20043	3	150												
5004700									30000	3	50 OR 75												
5004700									MCI50XP	3	50												
5004700												LP	5	C	CFY			28575-EL	B				
5004701	SCHRODER		FACE DRILL	360"	86"	30"	42"	NA															
5004701		2000A																		940907	B	28575F-EL	B
5004701									20043	2	150												
5004701									30000	2	50 OR 75												
5004701									MCI50XP	2	50												
5004701												LP	4	C	C			28575-EL	B				
5004728	PETITTO		SHIELD MOVER				6'1"	9'															
5004728																				940811	B	28575F-EL	B
5004728																				980217	C	28575F-EL	D
5004728		2060																					
5004728									20043	4	150												
5004728									30000	4	50 OR 75												
5004728									MCI50XP	4	50 OR 75												
5004728																		28575-EL	B				
5004745	EIMCO		MINER	300"	114"	24"	42"	20'															
5004745		2480 REMOTE																		960208	B	28575F-EL	C
5004745									20043	2	150												
5004745									30000	2	50 OR 75												
5004745									MCI50XP	2	50												
5004745												LP	2	C	C			28575-EL	B				
5004746	EIMCO		MINER	288"	104"	24"	7'	20'															
5004746		2480																		960211	B	28575F-EL	C
5004746									20043	3	150												
5004746									30000	3	50 OR 75												
5004746									MCI50XP	3	50												
5004746												LP	4	C	C			28575-EL	B				
5004771	JOY		MINER	312"	111"	28"	9'	20'															
5004771																							
5004771																				021001	F	28575F-EL	G
5004771																				031008	G	28575F-EL	G
5004771																				980601	C	28575F-EL	D
5004771																				980602	D	28575F-EL	D
5004771																				981004	E	28575F-EL	D
5004771		14 CM / SCR																					
5004771									30000	3	50												
5004771									MCI50XP	3	50 OR 75												
5004771												LP	4	C	CFY			28575-EL	B				
5004781	JOY GENERIC		S.P.E.	NA	120" MAX.-60"MIN.	60" MAX.-42" MIN.	5'	10'															
5004781																				060604	D	28575F-EL	J
5004781																				940805	B	28575F-EL	B
5004781																				971104	C	28575F-EL	D

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5004781		10SC																						
5004781		16SC																						
5004781		18SC																						
5004781		21SC																						
5004781		JOY																						
5004781									20043	4	150													
5004781									30000	4	50,65,71 OR 75													
5004781									MCI50XP	4	50							28575F-EL	B					
5004803	EIMCO		BOLTER	174"	96"	24"	6'	20'												960203	B	28575F-EL	C	
5004803		300																						
5004803											LP	5	C	C										
5004803																								
5004804	EIMCO		BOLTER	174"	96"	24"	42"	NA																
5004804		300																						
5004804											LP	4	C	C										
5004809	LONG-AIRDOX		MINER	312"	113"	26"	42"	20'								LoR								
5004809																				941103	D	28575F-EL	B	
5004809		CM-525/SCR																						
5004809		SR-500/SCR																						
5004809																								
5004809									20043	2	150													
5004809									30000	2	50 OR 75													
5004809									MCI50XP	2	50													
5004809											LP	2	C	C										
5004809																								
5004811	EIMCO		BOLTER	220"	80"	36"	7'	20'																
5004811																								
5004811		320																						
5004811											LP	7	C	C										
5004811																								
5004812	EIMCO		BOLTER	220"	80"	36"	5'	NA																
5004812																								
5004812		320																						
5004812											LP	6	C	C										
5004812																								
5004828	WAGNER		SCOOP				6'	8'																
5004828																								
5004828		LST5S																						
5004828																								
5004828									20043	4	150													
5004828									30000	4	50 OR 75													
5004828									MCI50XP	4	50 OR 75													
5004828																								
5004828	WAGNER		SHIELD MOVER				6'	9'5"																
5004829																								
5004829		LST5S-25X																						
5004829																								
5004829									20043	4	150													
5004829									30000	4	50 OR 75													
5004829									MCI50XP	4	50													
5004829																								
5004844	EIMCO		BOLTER	276"	108"	30"	6'	20'																
5004844																								
5004844		3520																						
5004844											LP	8	C	C										
5004844																								
5004845	EIMCO		BOLTER	276"	108"	30"	10'	20'																
5004845																								
5004845		3520																						
5004845																								
5004845											LP	10	C	C										
5004845																								
5004848	WAGNER		RAMCAR				6'5"	9'1"																
5004848																								
5004848																								
5004848		LMTT 414-15																						
5004848																								
5004848									20043	4	150													
5004848									30000	4	50 OR 75													
5004848									MCI50XP	4	50 OR 75													
5004848																								
5004848																								
5004862	LONG-AIRDOX JEF.		RAMCAR				6'5"	12'																
5004862																								
5004862																								
5004862		4110																						
5004862		4114																						
5004862		JEFFERY																						
5004862																								
5004862									20043	4	150													

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004919		ST3.5S																					
5004919									20043	4	150												
5004919									30000	4	50 OR 75												
5004919									MCI50XP	4	50 OR 75												
5004919																		28575C-EL	A				
5004920	FLETCHER		BOLTER	185"	50"	32"	7'	14'															
5004920		DR-13																					
5004920												LP2	4	C									
5004920																		28575F-EL	A				
5004921	LONG-AIRDOX		MINER	276"	100"	28"	39'	20'															
5004921																				941029	B	28575F-EL	B
5004921		245																					
5004921									20043	2	150												
5004921									30000	2	50 OR 75												
5004921									MCI50XP	2	50												
5004921												LP	2	C	C								
5004921																		28575D-EL	A				
5004924	LONG-AIRDOX		BOLTER	288"	116"	45"	10'	20'															
5004924																				980312	B	28575F-EL	D
5004924		TD2																					
5004924												LP	4	C	CFY								
5004924												LP2	3	C	CFY								
5004924																		28575D-EL	A				
5004925	JOY OLD		MINER	276"	120"	36"	12'	20'								LEFT							
5004925		12 CM / SCR																					
5004925									HUNT_BRA S	4	150												
5004925												LP2	2	C									
5004925																		28575D-EL	A				
5004935	EIMCO		BOLTER	190"	96"	26"	42"	NA															
5004935		300																					
5004935												LP	3	C									
5004935																		28575D-EL	A				
5004937	JOY		MINER	312"	115"	28"	5'	20'								LEFT							
5004937																				941015	B	28575F-EL	B
5004937		14 CM / SCR																					
5004937									20043	3	150												
5004937									30000	3	50 OR 75												
5004937									MCI50XP	3	50												
5004937												LP	2	C	C								
5004937																		28575D-EL	A				
5004940	FLETCHER		BOLTER	220"	90"	36"	42'	NA															
5004940		LTDO																					
5004940												LP	4	C									
5004940																		28575F-EL	A				
5004946	FLETCHER		BOLTER	333"	113"	44"	12'	20'								YES							
5004946		HDDR																					
5004946												LP	7	C									
5004946																		28575F-EL	A				
5004947	JOY		MINER	300"	116"	36"	12'	20'															
5004947																				941003	B	28575F-EL	B
5004947																				980701	C	28575F-EL	D
5004947		12 CM																					
5004947									20043	3	150												
5004947									30000	3	50 OR 75												
5004947									MCI50XP	3	50												
5004947												LP2	2	C	CYF								
5004947																		28575D-EL	A				
5004948	JOY		MINER	300"	112"	34"	6'	20'															
5004948																				941012	B	28575F-EL	B
5004948		14 CM																					
5004948									20043	3	150												
5004948									30000	3	50 OR 75												
5004948									MCI50XP	3	50												
5004948												LP	2	C	C								
5004948																		28575F-EL	A				
5004949	JOY		MINER	290"	106"	32"	12'	20'															
5004949																				941001	B	28575F-EL	B
5004949		12 CM																					
5004949									20043	3	150												
5004949									30000	3	50 OR 75												
5004949									MCI50XP	3	50												
5004949												LP2	2	C	C								
5004949																		28575F-EL	A				
5004951	JOY OLD		MINER	300"	124"	40"	12'	20'								DUAL							
5004951		12 CM / SCR																					
5004951									HUNT_BRA S	4	150												
5004951												LP2	2	C									
5004951																		28575D-EL	A				

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004952	LONG-AIRDOX		MINER	276"	100"	30"	42"	NA															
5004952																				941030	B	28575F-EL	B
5004952		CM 245																					
5004952		LN 200																					
5004952		SR 500																					
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952																							
5004952					</																		

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004967		LRB-15A																					
5004967											LP	4	C	CFY				28575E-EL	A				
5004967	LONG-AIRDOX		BOLTER	180"	72"	28"	42"	NA															
5004968		LRB-15																	980305	B	28575F-EL	D	
5004968											LP	3	C	CFY				28575E-EL	A				
5004969	LONG-AIRDOX		BOLTER	180"	74"	28"	42"	NA											980309	B	28575F-EL	D	
5004969		LRB-15A																					
5004969											LP	3	C	CFY				28575E-EL	A				
5004972	FLETCHER		BOLTER	276"	120"	30"	42"	NA								YES							
5004972		DDO																	960604	B	28575F-EL	C	
5004972		RR II																					
5004972											LP	5	C	C									
5004972	FLETCHER		BOLTER	300"	112"	34"	8'	20'								YES		28575F-EL	A				
5004973																			960303	B	28575F-EL	C	
5004973																			960503	C	28575F-EL	C	
5004973																			971001	D	28575F-EL	C	
5004973		DDO																					
5004973		DDR																					
5004973		RR II																					
5004973											LP	5	C	CY									
5004973											LP2	3	C	CY									
5004973																							
5004974	EIMCO		BOLTER	190"	96"	26"	6'	20'															
5004974		300																					
5004974																							
5004974											LP	4	C										
5004974	FLETCHER		BOLTER	276"	108"	30"	7'	20'								NO		28575F-EL	A				
5004975																							
5004975																			950402	B	28575F-EL	B	
5004975		DDO																	980212	C	28575F-EL	D	
5004975		DDR																					
5004975		RR II																					
5004975											LP	4	C	CFY									
5004975											LP2	2	C	CFY									
5004975																							
5004976	FLETCHER		BOLTER	204"	90"	25"	6'	NA															
5004976		LTDO																					
5004976																							
5004976											LP	5	C										
5004977	JOY		MINER	312"	116"	40"	8'	20'								LEFT							
5004977																							
5004977		12 CM / SCR																					
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							
5004977																							

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5004981																							
5004981												LP	2	C	C								
5004982	JOY		MINER	300"	100"	24"	12'	20'								LEFT		28575F-EL	A				
5004982																			941023	B	28575F-EL	B	
5004982		15 CM / SCR																					
5004982		15 CM 3 / SCR																					
5004982									20043	3	150												
5004982									30000	3	50 OR 75												
5004982									MCI50XP	3	50												
5004982												LP2	2	C	C								
5004982																		28575F-EL	A				
5004983	JOY		MINER	300"	100"	24"	12'	20'															
5004983																			941016	B	28575F-EL	B	
5004983		15 CM																					
5004983		15 CM 2																					
5004983									20043	3	150												
5004983									30000	3	50 OR 75												
5004983									MCI50XP	3	50												
5004983												LP2	2	C	C								
5004983																							
5004984	JOY		MINER	300"	89"	24"	12'	20'															
5004984																			941018	B	28575F-EL	B	
5004984		15 CM 3 REMOTE																					
5004984		15 CM REMOTE																					
5004984									20043	3	150												
5004984									30000	3	50 OR 75												
5004984									MCI50XP	3	50												
5004984												LP2	2	C	C								
5004984																							
5004986	JOY		MINER	300"	124"	41"	12'	20'								LEFT							
5004986																				940802	B	28575F-EL	B
5004986																				970302	C	28575F-EL	C
5004986																				971103	D	28575F-EL	B
5004986		12 CM / SCR																					
5004986									20043	3	150												
5004986									30000	3	50 OR 75												
5004986									MCI50XP	3	50												
5004986												LP2	2	C	CY								
5004986																							
5004986																							
5004987	JOY		MINER	300"	100"	24"	42"	20'								LEFT							
5004987																				941022	B	28575F-EL	B
5004987		15 CM / SCR																					
5004987		15 CM 3 / SCR																					
5004987									20043	2	150												
5004987									30000	2	50 OR 75												
5004987									MCI50XP	2	50												
5004987												LP	1	C	C								
5004987																							
5004987	JOY		MINER	300"	100"	24"	42"	20'															
5004988																				941019	B	28575F-EL	B
5004988		15 CM																					
5004988		15 CM 2																					
5004988									20043	2	150												
5004988									30000	2	50 OR 75												
5004988									MCI50XP	2	50												
5004988												LP	2	C	C								
5004988																							
5004989	JOY		MINER	300"	89"	24"	42"	20'															
5004989																				941020	B	28575F-EL	B
5004989		15 CM 3 REMOTE																					
5004989		15 CM REMOTE																					
5004989									20043	2	150												
5004989									30000	2	50 OR 75												
5004989									MCI50XP	2	50												
5004989												LP	1	C	C								
5004989																							
5004993	JOY OLD		MINER	300"	97"	40"	12'	20'															
5004993		12 CM																					
5004993									KOEHLE	4	150												
5004993												LP2	2	C									
5004993																							
5004994	SUNNYSIDE		LONG WALL				10'	725'															
5004994												LP2	88	C									
5004994																							
5004997	FLETCHER		BOLTER	242"	96"	32"	8'	20'								NO				920903	D		
5004997																							
5004997		DDM																		980107	B	28575F-EL	D
5004997												LP2	5	C	CFY								
5004997																							
5005102	JOY		MINER	300"	124"	41"	12'	20'															

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005102		12 CM																		941005	B	28575F-EL	B	
5005102									20043	3	150													
5005102									30000	3	50 OR 75													
5005102									MCI50XP	3	50 OR 75													
5005102									OCENCO	3	50													
5005102												LP2	2	C	CYF			28575F-EL	A					
5005109	EIMCO		BOLTER	240"	108"	35" OR 23"	7'	20'								NO								
5005109		3510																		020303	B	28575F-EL	G	
5005109												LP	4	C	CFY									
5005109												LP2	2	C	CFY									
5005109																		28575F-EL	A					
5005109-0		3510																		020303	B	28575F-EL	G	
5005109-0												LP	4	C	CFY									
5005109-0												LP2	2	C	CFY									
5005110	EIMCO		MINER	324"	122"	25"	7'	20'								LorD								
5005110		2810																		940921	B	28575F-EL	B	
5005110									20043	3	150													
5005110									30000	3	50 OR 75													
5005110									MCI50XP	3	50													
5005110												LP	1	C	C									
5005110												LP2	1	C	C					28575F-EL	A			
5005113	EIMCO GENERIC		COAL HAULER				7'	13'																
5005113																				940809	B	28575F-EL	B	
5005113		5810																		980215	C	28575F-EL	D	
5005113		EIMCO																						
5005113									20043	4	150													
5005113									30000	4	50 OR 75													
5005113									MCI50XP	4	50 OR 75													
5005113																				28575E-EL	A			
5005115	EIMCO GENERIC		SCOOP/SHIE LD MOVER				7'	12'																
5005115																								
5005115		550																		940810	B	28575F-EL	B	
5005115		580																		980216	C	28575F-EL	D	
5005115		582																						
5005115		585																						
5005115		915																						
5005115		EIMCO																						
5005115									20043	4	150													
5005115									30000	4	50 OR 75													
5005115									MCI50XP	4	50 OR 75													
5005115																				28575E-EL	A			
5005119	JOY		MINER	312"	116"	40"	8'	24'								LEFT								
5005119																								
5005119		12 CM / SCR																		941009	B	28575F-EL	B	
5005119																				960302	C	28575F-EL	C	
5005119									20043	3	150													
5005119									30000	3	50 OR 75													
5005119									JOY	3	50													
5005119									MCI50XP	3	50													
5005119												LP2	2	C	CF									
5005119																				28575F-EL	A			
5005120	EIMCO		MINER	324"	122"	25"	10'	20'								LorD								
5005120		2810																						
5005120									20043	3	150										940919	B	28575F-EL	B
5005120									30000	3	50 OR 75													
5005120									MCI50XP	3	50													
5005120												LP2	2		C									
5005120																				28575F-EL	A			
5005121	EIMCO		MINER	324"	122"	25"	42"	20'								LEFT								
5005121		2810																						
5005121									20043	2	150										940920	B	28575F-EL	B
5005121									30000	2	50 OR 75													
5005121									MCI50XP	2	50													
5005121												LP	2	C	C									
5005121																				28575F-EL	A			
5005122	EIMCO		MINER	324"	122"	25"	42"	20'								LorD								
5005122																								
5005122		2810 REMOTE																						
5005122																				940922	B	28575F-EL	B	

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005122									20043	2	150												
5005122									30000	2	50 OR 75												
5005122									MCI50XP	2	50												
5005122												LP	1	C	C								
5005122																		28575F-EL	A				
5005123	FAIRCHILD		BOLTER	168"	48"	29"	42"	NA															
5005123		J4EXH																					
5005123		J6EXH																					
5005123		J9EXH																					
5005123												LP	3	C									
5005123																		28575F-EL	A				
5005126	FLETCHER		BOLTER	252"	52"	36"	12'	20'															
5005126		DR																		001001	B	28575F-EL	G
5005126									20043	2	150												
5005126									30000	2	50												
5005126									MCI50XP	2	50, 65, 71 & 75												
5005126												LP2	5	C	CFY								
5005126																		28575F-EL	A				
5005127	FLETCHER		BOLTER	212"	52"	25"	6'	NA															
5005127		DR																					
5005127												LP	4	C									
5005127												LP2	2	C									
5005127																		28575F-EL	A				
5005128	FLETCHER		BOLTER	326"	108"	35"	42"	NA								NO							
5005128		DDO																					
5005128		RR II																					
5005128									30000	2	50												
5005128												LP	5	C									
5005128																		28575F-EL	A				
5005130	JOY OLD		MINER	307"	115"	29"	10'	20'								L,R							
5005130		14 CM / SCR																					
5005130									HUNT.BRAS	4	150												
5005130												LP2	2	C									
5005130																		28575F-EL	A				
5005132	JOY		LOADER	201"	94"	32"	8'	20'															
5005132																				020302	B	28575F-EL	G
5005132		14 BU 10																					
5005132												LP	4	C	CFY								
5005132												LP2	1	C	CFY								
5005132																		28575F-EL	A				
5005134	JOY		MINER	312"	119"	28"	10'	20'								LEFT							
5005134																				030902	C	28575F-EL	G
5005134																				941013	B	28575F-EL	B
5005134		14 CM / SCR																					
5005134									20043	3	150												
5005134									30000	3	50 OR 75												
5005134									MCI50XP	3	50												
5005134									OCENCO	3	50												
5005134												LP	4	C	CFY								
5005134																		28575F-EL	A				
5005135	FLETCHER		BOLTER	163"	72"	26"	42"	NA															
5005135		LTDO																					
5005135												LP	3	C									
5005135																							
5005135																							
5005136	EIMCO		SCOOP	300"	96"	70"	6'	8'															
5005136																							
5005136		913 C																		940807	B	28575F-EL	B
5005136																				980214	C	28575F-EL	D
5005136									20043	4	150												
5005136									30000	4	50 OR 75												
5005136									MCI50XP	4	50 OR 75												
5005136																							
5005136																							
5005139	JOY		CUTTER	408"	98"	30"	42"	NA															
5005139		16 RB																					
5005139									20043	2	150												
5005139									30000	2	50												
5005139												LP	4	C	C								
5005139																							
5005141	JOY OLD		MINER	307"	115"	29"	10'	20'								L,R							
5005141		14 CM / SCR																					
5005141									HUNT.BRAS	4	150												
5005141												LP2	2	C									
5005141																							
5005143	EIMCO		SCOOP	300"	96"	70"	5.8'	8'															
5005143																							
5005143																				940806	B	28575F-EL	B
5005143																				980213	C	28575F-EL	D

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005143		913 C																					
5005143									20043	4	150												
5005143									30000	4	50 OR 75												
5005143									MCI50XP	4	50 OR 75												
5005143																		28575F-EL	A				
5005147	JOY		MINER	300"	116"	36"	12'	20'															
5005147																				940801	B	28575F-EL	B
5005147		12 CM																					
5005147									20043	3	150												
5005147									30000	3	50 OR 75												
5005147									JOY	3	150												
5005147									MCI50XP	3	50												
5005147												LP2	2	C	C								
5005147																		28575F-EL	A				
5005149	LONG-AIRDOX		FACE DRILL	351"	80"	51"	10'	20'															
5005149		TDF 24																					
5005149									20043	2	150												
5005149									30000	2	50												
5005149												LP2	3		C								
5005149																		28575F-EL	A				
5005150	PETITTO		SHIELD MOVER	372"	108"	71"	6'	20'															
5005150		1550																					
5005150		1556																					
5005150									20043	4	150												
5005150									30000	4	50												
5005150																		28575F-EL	A				
5005152	SCHRODER		FACE DRILL	384"	86"	33"	42"	NA															
5005152		CDB-2000A																					
5005152									20043	2	150												
5005152									30000	2	50												
5005152												LP	4	C	C								
5005152																		28575F-EL	A				
5005153	LONG-AIRDOX		BOLTER	312"	108"	30"	9'	20'								YES							
5005153																				940402	B		
5005153		RB288A																					
5005153		SR200-AL																					
5005153		SR250-A																					
5005153												LP	2		C								
5005153												LP2	4		C								
5005153																		28575F-EL	A				
5005155																				031009	B	28575F-EL	G
5005155		LTDO																					
5005155		RR1																					
5005155												LP	3	C	CFY								
5005155-0	FLETCHER		BOLTER	180"	72"	24"	42"	NA															
5005155-0																							
5005156	JOY OLD		MINER	274"	120"	46"	12'	20'								LEFT		28575F-EL	A				
5005156		12 CM / SCR																					
5005156									HUNT_BRA	4	150												
5005156									S														
5005156												LP2	2	C									
5005157	JOY OLD		MINER	300"	120"	46"	12'	20'								LEFT		28575F-EL	A				
5005157		12 CM 12 / SCR																					
5005157									HUNT_BRA	4	150												
5005157									S														
5005157												LP2	2	C									
5005157																		28575F-EL	A				
5005158	FLETCHER		BOLTER	320"	120"	44"	9'	20'								YES							
5005158		HDDR																					
5005158												LP2	6	C									
5005158																		28575F-EL	A				
5005161	LONG-AIRDOX		BOLTER	312"	108"	30"	10'	20'								YES							
5005161																							
5005161																				070701	C	28575F-EL	J
5005161																				940603	B		
5005161		RB2-88-A																					
5005161		RB2-88-AT																					
5005161		SR200-A																					
5005161		SR200-AL																					
5005161												LP	2	C	CFY								
5005161												LP2	5	C	CFY								
5005161																		28575F-EL	A				
5005162	FLETCHER		BOLTER	276"	114"	52"	8'	24'								YES							
5005162		HDDR																					
5005162												LP2	5	C	C								
5005162																		28575F-EL	A				
5005163	JOY		MINER	312"	116"	57"	10'	20'								LEFT							
5005163																							
5005163		12 CM / SCR																		941007	B	28575F-EL	B

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005163									20043	3	150													
5005163									30000	3	50 OR 75													
5005163									MCI50XP	3	50													
5005163												LP	4	C	C									
5005165	JOY		MINER	306"	120"	28"	10'	20'									LEFT		28575F-EL	A				
5005165		14 CM / SCR																						
5005165									20043	3	150													
5005165									30000	3	50 OR 75													
5005165									MCI50XP	3	50													
5005165												LP	4	C	C									
5005165																								
5005169	VOEST ALPINE		MINER	360"	100"	58"	8'	20'																
5005169																								
5005169		330 R																		940918	B		28575F-EL	B
5005169									20043	2	150													
5005169									30000	2	50 OR 75													
5005169									MCI50XP	2	50													
5005169									SCM	2	75													
5005169												LP	4	C	C									
5005173	FLETCHER		BOLTER	186"	72"	26"	42"	NA																
5005173		LTDO																						
5005173												LP	3	C	C									
5005173																								
5005174	JOY		CUTTER	408"	98"	30"	8'	20'																
5005174		16 RB																						
5005174									20043	2	150													
5005174									30000	2	50 OR 75													
5005174									MCI50XP	2	50													
5005174												LP	5	C	C									
5005174	EIMCO		SCOOP				5' - 3"	10'																
5005176																								
5005176		936 M																		980321	B		28575F-EL	D
5005176									20043	4	150													
5005176									30000	4	50 OR 75													
5005176									MCI50XP	4	50 OR 75													
5005176																								
5005178	JOY		MINER	312"	116"	40"	8'	20'																
5005178																								
5005178																								
5005178		12 CM / SCR																						
5005178																								
5005178									20043	3	150													
5005178									30000	3	50 OR 75													
5005178									JOY	3	75													
5005178									MCI50XP	3	50													
5005178												LP2	2	C	CYF									
5005178																								
5005180	FLETCHER		BOLTER	248"	60"	50"	8'	20'																
5005180																								
5005180																								
5005180		DR																						
5005180												LP	4	C	CFY									
5005180												LP2	3	C	CFY									
5005180																								
5005182	GENERIC		SCOOP				6'	12'																
5005182																								
5005182		EIMCO																						
5005182		LONG AIRDOX																						
5005182		SH105A																						
5005182		SH20S																						
5005182		WAGNER																						
5005182																								
5005182									20043	4	150													
5005182									30000	4	50 OR 75													
5005182									MCI50XP	4	50 OR 75													
5005182																								
5005188	LONG-AIRDOX		MINER	320"	108"	25"	8'	20'																
5005188																								
5005188		CM525/SCR																						
5005188		SR500/SCR																						
5005188																								
5005188									20043	3	150													
5005188									30000	3	50 OR 75													
5005188									MCI50XP	3	50													
5005188									OCENCO	3	50													
5005188												LP2	2	C	C									
5005188																								
5005189	FLETCHER		BOLTER	284"	84"	50"	12'	20'																
5005189																								
5005189		DR																						
5005189												LP2	6	C	C									
5005189																								
5005189																								

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005190	JOY		MINER	300"	116"	36"	12'	24'															
5005190		12 CM																					
5005190									20043	4	150												
5005190									30000	4	50 OR 75												
5005190									MCI50XP	4	50												
5005190												LP2	2	C	C			28575F-EL	B				
5005190-0	JOY		MINER	300"	116"	36"	12'	24'															
5005190-0																				001001	B	28575F-EL	G
5005190-0		12 CM																					
5005190-0									20043	4	150												
5005190-0									30000	4	50, 65, 71 & 75												
5005190-0									MCI50XP	4	50												
5005190-0												LP2	2	C	CFY			28575F-EL	B				
5005191	EICKOFF		MINER	336"	108"	47"	12'	20'															
5005191		ECM-2																					
5005191									20043	3	150												
5005191									30000	3	50 OR 75												
5005191									MCI50XP	3	50												
5005191												LP2	2	C	C			28575F-EL	B				
5005193	JOY		MINER	307"	115"	29"	10'	20'							LEFT					980903	B	28575F-EL	D
5005193		14 CM / SCR																					
5005193									20043	3	150												
5005193									30000	3	50 OR 75												
5005193									MCI50XP	3	50												
5005193												LP2	2	C	CFY			28575F-EL	B				
5005196	EIMCO		MANTRIP				6'	7'															
5005196		975																					
5005196									20043	4	150												
5005196									30000	4	50 OR 75												
5005196									MCI50XP	4	50												
5005196																							
5005196																							
5005196																							
5005197	EIMCO		5TH. WHEEL				6'	7'															
5005197		975																					
5005197									20043	4	150												
5005197									30000	4	50 OR 75												
5005197									MCI50XP	4	50												
5005197																							
5005197																							
5005197																							
5005198	JOY		MINER	312"	120"	26"	9'	20'															
5005198		14 CM 10																					
5005198									20043	3	150												
5005198									30000	3	50 OR 75												
5005198									MCI50XP	3	50												
5005198												LP	4	C	C			28575F-EL	B				
5005200	EIMCO		BOLTER	246"	84"	30"	7'	20'															
5005200		350																					
5005200												LP	5	C	C			28575F-EL	B				
5005200																							
5005202	JOY		MINER	312"	120"	26"	6'	20'															
5005202		14 CM 10																					
5005202									20043	3	150												
5005202									30000	3	50 OR 75												
5005202									MCI50XP	3	50												
5005202												LP	3	C	C			28575F-EL	B				
5005202																							
5005204	FLETCHER		BOLTER	207"	96"	34"	9'	20'															
5005204		DDP - 13																					
5005204												LP	2	C	C								
5005204												LP2	4	C	C								
5005204																							
5005210	JOY		CUTTER	332"	114"	33"	42"	NA															
5005210		15 RU																					
5005210									20043	2	150												
5005210									30000	2	50 OR 75												
5005210									KOEHLER	2	50												
5005210									MCI50XP	2	50												
5005210												LP	4	C	C			28575F-EL	B				
5005210																							
5005211	FLETCHER		BOLTER	308"	120"	44"	10'	20'								YES							
5005211																							
5005211		DDO																		980108	B	28575F-EL	D
5005211		DDR																					
5005211		HDDR																					
5005211		RR II																					

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005211																							
5005211																							
5005212	EICKOFF		MINER	324"	107"	35"	12'	20'								DUAL		28575F-EL	B				
5005212		ECM-2																					
5005212									20043	3	150												
5005212									MCI50XP	3	50												
5005212									SCM	3	75												
5005212												LP	4	C	C								
5005212																		28575F-EL	B				
5005213	JOY		MINER	312"	120"	28"	9'	20'								DUAL							
5005213		14 CM / SCR																					
5005213									20043	3	150												
5005213									30000	3	50 OR 75												
5005213									MCI50XP	3	50												
5005213												LP	4	C	C								
5005213																							
5005214	FLETCHER		BOLTER	276"	114"	52"	12'	20'								YES		28575F-EL	B				
5005214		HDDR																					
5005214												LP2	7	C	C								
5005214																							
5005215	FLETCHER		BOLTER	276"	114"	52"	10'	20'								YES		28575F-EL	B				
5005215																							
5005215		HDDR																	970303	B	28575F-EL	C	
5005215												LP2	6	C	CFY								
5005215																							
5005216	FLETCHER		BOLTER	222"	90"	34"	42"	NA															
5005216		LTDO RR1																					
5005216												LP	4	C	C								
5005216																							
5005216	FLETCHER		BOLTER	222"	90"	34"	6'	20'															
5005217		LTDO RR1																					
5005217																							
5005217												LP	5	C	C								
5005217																							
5005218	LONG-AIRDOX		BOLTER	325"	114"	34"	9'	20'															
5005218																							
5005218		TD2																		980319	B	28575F-EL	D
5005218												LP	1	C	CFY								
5005218												LP2	5	C	CFY								
5005218																							
5005219	FLETCHER		BOLTER	222"	90"	26"	42"	NA															
5005219		LTDO RR1																					
5005219																							
5005219												LP	4	C	C								
5005219																							
5005225	WAGNER		SCOOP	422"	129"	78"	6'-6"	10'-8"															
5005225		LMTT 410-14S																					
5005225									20043	4	150												
5005225									30000	4	50 OR 75												
5005225									MCI50XP	4	50												
5005225																							
5005226	JOY		MINER	312"	119"	28"	10'	20'								LEFT							
5005226																							
5005226		14 CM / SCR																					
5005226									20043	3	150												
5005226									30000	3	50 OR 75												
5005226									MCI50XP	3	50												
5005226												LP	2	C	CYF								
5005226												LP2	1	C	CYF								
5005226																							
5005228	WAGNER		SCOOP	372"	114"	60"	5'	9'-5"															
5005228																							
5005228		LST5S																					
5005228									20043	4	150												
5005228									30000	4	50 OR 75												
5005228									MCI50XP	4	50 OR 75												
5005228																							
5005229	FLETCHER		BOLTER	310"	108"	42"	7'	20'															
5005229																							
5005229																							
5005229		DDO																					
5005229		DDR																					
5005229		RR II																					
5005229												LP	4	C	CYF								
5005229												LP2	2	C	CYF								
5005229																							
5005229																							
5005230	JOY		MINER	312"	103"	40"	8'	20'								LEFT							
5005230																							
5005230																							
5005230		12 CM / SCR																					

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005253		12 CM / SCR																					
5005253									20043	3	150												
5005253									30000	3	50 OR 75												
5005253									JOY	3	75												
5005253									MCI50XP	3	50 OR 75												
5005253												LP2	2	C	CFY								
5005253																		28575F-EL	C				
5005254	JOY		MINER	300"	106"	41"	12'	24'															
5005254		12 CM																					
5005254									20043	4	150												
5005254									30000	4	50 OR 75												
5005254									HE50	4	50												
5005254									MCI50XP	4	50												
5005254												LP2	4	C	C								
5005254																							
5005256	JOY		MINER	312"	116"	40"	12'	20'															
5005256																							
5005256		12 CM / SCR																		040502	B	28575F-EL	H
5005256									20043	4	150												
5005256									30000	4	50 OR 75												
5005256									JOY	4	75												
5005256									MCI50XP	4	50												
5005256												LP2	2	C	CFY								
5005256																							
5005257	FLETCHER		BOLTER	333"	113"	44"	12'	24'															
5005257		HDDR																					
5005257									20043	2	150												
5005257									30000	2	50 OR 75												
5005257									MCI50XP	2	50												
5005257												LP2	8	C	C								
5005257																							
5005257																							
5005258	FLETCHER		BOLTER	308"	120"	44"	10'	20'															
5005258		HDDR																					
5005258												LP2	6	CA	CA								
5005258																							
5005259	FLETCHER		BOLTER	300"	96"	41"	8'	20'															
5005259		DDO																					
5005259		DDR																					
5005259		RR II																					
5005259												LP2	8	C	CYF								
5005259																							
5005260	GENERIC		S.P.E.	N/A	132" MAX.	72" MAX.	6'	11'															
5005260																							
5005260																							
5005260		5TH WHEEL																					
5005260		BATTERY HAULER																					
5005260		COAL HAULER																					
5005260		COAL TRANSPORTER																					
5005260		DU-A-TRAC																					
5005260		MAINTENANCE VEHICLE																					
5005260		MAN TRIP																					
5005260		RAM CAR																					
5005260		SCOOP																					
5005260		SERVICE CAR																					
5005260		SHIELD HAULER																					
5005260		SHIELD MOVER																					
5005260		SHUTTLE CAR																					
5005260		TRACTOR																					
5005260		UN-A-HAULER																					
5005260									20043	4	150												
5005260									30000	4	50 & 75												
5005260									571390-131	4	50 & 75												
5005260									CSI 50	4	50 & 75												
5005260									HE 50	4	50 & 75												
5005260									J2200	4	50												
5005260									MCI50XP	4	50,65,71 & 75												
5005260																							
5005260																							
5005260-0																							
5005261	FLETCHER		BOLTER	252"	100"	50"	12'	20'															
5005261																							
5005261		HDDR																					
5005261												LP2	7	C	CFY								
5005261																							
5005264	FLETCHER		BOLTER	300"	96"	41"	8'	20'															
5005264		DDO																					
5005264		DDR																					
5005264		RR II																					
5005264									20043	2	150												
5005264									30000	2	50 OR 75												

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005264									MCI50XP	2	50													
5005264												LP2	6	C	CYF			28575F-EL	C					
5005266	JOY		MINER	312"	116"	40'	8'	20'								LEFT								
5005266		12 CM / SCR																						
5005266									20043	4	150													
5005266									MCI50XP	4	50													
5005266												LP2	2	C	CYF			28575F-EL	C					
5005267	WAGNER		SCOOP	341"	96"	34"	6'	8'																
5005267		LST 5S																						
5005267									20043	4	150													
5005267									30000	4	50 OR 75													
5005267									MCI50XP	4	50													
5005267																		28575F-EL	C					
5005268	LONG -AIRDOX		UN-A-HAULER				6'	9.8'																
5005268		828																						
5005268									20043	4	150													
5005268									30000	4	50 OR 75													
5005268									MCI50XP	4	50													
5005268																		28575F-EL	C					
5005269	FLETCHER		BOLTER	272"	90"	54"	12'	20'									NO							
5005269		DR																						
5005269		DR-D																						
5005269												LP2	8	C	C									
5005269																		28575F-EL	C					
5005270	FLETCHER		BOLTER	324"	120"	61"	10'	20'									NO							
5005270		HDDR																						
5005270												LP2	6	C	C									
5005270																		28575F-EL	C					
5005271	JOY		MINER	313"	110"	30"	3.5'	20'								LEFT								
5005271		14 CM / SCR																						
5005271									20043	2	150													
5005271									MCI50XP	2	50													
5005271												LP	2		C									
5005271																		28575F-EL	C					
5005272	JOY		MINER	307"	115"	29"	10'	20'								RIGHT								
5005272		14 CM / SCR																						
5005272									20043	3	150													
5005272									30000	3	50 OR 75													
5005272									MCI50XP	3	50													
5005272												LP2	2	C	C									
5005272																		28575F-EL	C					
5005275																				000209	B	28575F-EL	C	
5005275																								
5005275		DDO																						
5005275		DDR																						
5005275		HDDR																						
5005275												LP2	8	C	CYF									
5005275-0	FLETCHER		BOLTER	291"	114"	49"	10'	20'									YES							
5005275-0																								
5005275-0		DDO																		000209	B	28575F-EL	C	
5005275-0		DDR																						
5005275-0		HDDR																						
5005275-0												LP2	8	C	CYF									
5005275-0																		28575F-EL	C					
5005276	AUXIER WELDING		SERVICE CAR	286"	108"	53"	4.4'	9'																
5005276		ARP28-6P																						
5005276									20043	4	150													
5005276									30000	4	50 OR 75													
5005276									MCI50XP	4	50													
5005276																		28575F-EL	C					
5005288	DOSCO		BOLTER CAR	318"	109"	28"	7'	14'																
5005288		BC-4000																						
5005288												LP2	6	C	C									
5005288																		28575F-EL	C					
5005293	JOY		MINER	312"	120"	28"	8'	20'								DUAL								
5005293		14 CM / SCR																						
5005293									20043	3	150													
5005293									MCI50XP	3	50													
5005293												LP	4		CY									
5005293																		28575F-EL	C					
5005294	FLETCHER		BOLTER	203"	70"	40"	7'	20'																
5005294																								
5005294		DB																		040601	B	28575F-EL	H	
5005294		DR15																						
5005294												LP2	5	C	CYF									
5005294																		28575F-EL	C					

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005302	FLETCHER		BOLTER	305"	114"	51"	8'	20'								NO							
5005302		HDDR																					
5005302											LP2	8	C	CYF				28575F-EL	C				
5005303	JOY		MINER	274"	120"	46"	12'	24'								LEFT							
5005303		12 CM / SCR																					
5005303									20043	4	150												
5005303									30000	4	50 OR 75												
5005303									MCI50XP	4	50												
5005303											LP2	2		C				28575F-EL	C				
5005304	JOY		MINER	323"	130"	63"	9'	20'								DUAL							
5005304		12 CM / SCR																					
5005304									20043	3	150												
5005304									MCI50XP	3	50												
5005304											LP2	2	C	CYF				28575F-EL	C				
5005306	FLETCHER		BOLTER	291"	114"	49"	12'	24'								YES							
5005306		HDDR																					
5005306											LP2	9	C	CYF				28575F-EL	C				
5005306																							
5005308	FLETCHER		BOLTER	322" OR 310"	120" OR 108"	42"	8'	20'								NO							
5005308		DDO																					
5005308		DDR																					
5005308		RR II																					
5005308											LP2	6	C	CYF				28575F-EL	C				
5005309	FLETCHER		BOLTER	273"	110"	49"	10'	24'								YES							
5005309		HDDR																					
5005309											LP2	9	C	CYF				28575F-EL	C				
5005309																							
5005312	LONG-AIRDOX		BOLTER	236"	87"	30"	42"	NA															
5005312		RB1-50L																					
5005312									20043	1	150												
5005312									30000	1	50 OR 75												
5005312									MCI50XP	1	50												
5005312											LP	4		C				28575F-EL	C				
5005321	FLETCHER		BOLTER	204"	48"	53"	8'	20'															
5005321		DB																					
5005321		DR																					
5005321											LP2	6	C	CFY				28575F-EL	C				
5005325	JOY		MINER	336"	126"	26"	8'	20'								DUAL							
5005325		14 CM / SCR																					
5005325									20043	3	150												
5005325									MCI50XP	3	50												
5005325											LP	4	C	CYF				28575F-EL	C				
5005326	FLETCHER		BOLTER	310"	108"	42"	8'	20'								NO							
5005326		DDO																					
5005326		DDR																					
5005326		RR-II																					
5005326									20043	2	150												
5005326									30000	2	50 OR 75												
5005326									MCI50XP	2	50												
5005326											LP	2	C	CYF									
5005326											LP2	4	C	CYF				28575F-EL	C				
5005327	RHAM S. AFRICA		BOLTER	360"	94"	29"	8'	20'															
5005327		DB																					
5005327											LP2	7	C	CYF				28575F-EL	C				
5005327																							
5005329	RHAM S. AFRICA		BOLTER	360"	94"	29"	3.5'	NA															
5005329		DB																					
5005329											LP2	5	C	CYF				28575F-EL	C				
5005329																							
5005330	JOY		MINER	283"	106"	45"	10'	16'															
5005330		12 CM / DRILLS																					
5005330									20043	3	150												
5005330									MCI50XP	3	50												
5005330											LP2	2	C	CYF				28575F-EL	C				
5005330																							
5005331	RHAM S. AFRICA		BOLTER	360"	94"	29"	8'	20'								NO							
5005331		DB																					
5005331											LP2	7	C	CYF				28575F-EL	C				
5005331																							
5005335	JOY		MINER	315"	120"	40"	10'	20'								LEFT							
5005335		12 CM / SCR																					

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005335									20043	4	150													
5005335									MCI50XP	4	50													
5005335												LP2	2	C	CFY			28575F-EL	C					
5005336	JOY		MINER	312"	120"	28"	10'	20'								LEFT								
5005336																				030703	B	28575F-EL	G	
5005336																								
5005336									20043	4	150													
5005336									MCI50XP	4	50													
5005336												LP	4	C	CFY			28575F-EL	C					
5005337	JOY		MINER	315"	129"	40"	10'	20'								LEFT								
5005337		12 CM / SCR																						
5005337									20043	4	150													
5005337									MCI50XP	4	50													
5005337												LP2	2	C	CFY			28575F-EL	C					
5005338	FLETCHER		BOLTER	240"	120"	60"	12'	20'																
5005338																								
5005338												LP2	8	C	CFY			28575F-EL	C					
5005338	JOY		MINER	290"	99" OR 106"	32"	10'	20'																
5005343		12 CM																						
5005343									20043	3	150													
5005343									MCI50XP	3	75													
5005343												LP2	2		C			28575F-EL	C					
5005346	EIMCO		MINER	312"	132"	22"	32"	N/A																
5005346		DASH ZERO																						
5005346									20043	2	150													
5005346									MCI50XP	2	75													
5005346												LP	1	C	CFY			28575F-EL	C					
5005348	FLETCHER		BOLTER	240"	120"	60"	12'	20'																
5005348																								
5005348									20043	3	150													
5005348									MCI50XP	3	50 OR 75													
5005348												LP2	6	C	CYF			28575F-EL	C					
5005349	FLETCHER		BOLTER	286"	114"	48"	9'	20'								NO		28575F-EL	C					
5005349		DDO																						
5005349		DDR																						
5005349		RR II																						
5005349									MCI50XP	2	50 OR 75													
5005349									20043	2	150													
5005349									30000	2	50 OR 75													
5005349												LP2	6	C	CYF			28575F-EL	C					
5005351	FLETCHER		BOLTER	226"	120"	60"	12'	20'																
5005351																								
5005351												LP2	10	C	CYF			28575F-EL	D					
5005352	JOY		MINER	312"	114"	28"	8'	20'								DUAL								
5005352																				980603	B	28575F-EL	D	
5005352		14 CM / SCR																						
5005352									20043	3	150													
5005352									MCI50XP	3	50, 71 OR 75													
5005352												LP	4	C	CYF			28575F-EL	D					
5005353	JOY		MINER	312"	114"	28"	10'	20'								DUAL								
5005353																				980604	B	28575F-EL	D	
5005353		14 CM / SCR																						
5005353									20043	3	150													
5005353									MCI50XP	3	71 OR 75													
5005353												LP	4		C			28575F-EL	D					
5005354	FLETCHER		BOLTER	226"	120"	63"	10'	20'																
5005354																								
5005354									20043	1	150													
5005354									MCI50XP	1	50 OR 75													
5005354												LP2	8	C	CYF			28575F-EL	C					
5005358	JOY		MINER	307"	115"	39"	10'	20'																
5005358																								
5005358		12 CM / REMOTE																						
5005358									20043	6	150													
5005358									MCI50XP	6	50 OR 75													
5005358												LP2	2	C	CFY									

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005387									MCI50XP	4	50,65 OR 75							28757F-EL	E				
5005388	LONG-AIRDOX		BOLTER	165"	69"	26"	3'	NA															
5005388		TD1-24																					
5005388											LP2	3	C	CFY				28757F-EL	E				
5005389	JOY		BOLTER	222"	126"	66"	9'	20'								YES							
5005389		4417																					
5005389											LP	3	C	CFY									
5005389											LP2	6	C	CFY				28757F-EL	E				
5005390	FLETCHER		PANLINE BOLTER	100"	33"	46"	7'	NA															
5005390		DR																		021102	B	28757F-EL	G
5005390											LP2	5	C	CFY				28757F-EL	E				
5005394		12 CM / SCR																					
5005394									20043	4	150												
5005394									MCI50XP	4	50,65,71 & 75												
5005394-0	JOY		MINER	315"	120"	40"	12'	20'			LP2	2	C	CFY		LEFT							
5005394-0		12 CM / SCR																					
5005394-0									20043	4	150												
5005394-0									MCI50XP	4	50,65,71 OR 75												
5005394-0											LP2	2	C	CFY				28757F-EL	E				
5005395		ABM 14																					
5005395									20043	2	150												
5005395									MCI50XP	2	50,65,71 & 75												
5005395											LP	2	C	CFY									
5005395											LP2	2	C	CFY									
5005395-0	VOEST ALPINE		MINER	288"	114"	44"	8'	15.5'															
5005395-0		ABM 14																					
5005395-0									20043	2	150												
5005395-0									MCI50XP	2	50,65,71 OR 75												
5005395-0											LP	2	C	CFY									
5005395-0											LP2	2	C	CFY				28757F-EL	E				
5005396		12 CM / SCR																					
5005396									20043	4	150												
5005396									MCI50XP	4	50,65, OR 75												
5005396											LP2	2	C	CFY									
5005396-0	JOY		MINER	315"	120"	40"	10'	20'								LEFT							
5005396-0		12 CM / SCR																		09401	B	28757F-EL	J
5005396-0									20043	4	150												
5005396-0									MCI50XP	4	50,65,71 OR 75												
5005396-0											LP2	2	C	CFY				28757F-EL	E				
5005397		DDO,RRII & DDR																					
5005397											LP2	6	C	CFY									
5005397-0	FLETCHER		BOLTER	310"	108"	30"	6'	20'								NO							
5005397-0		DDO																					
5005397-0		DDR																					
5005397-0		RR II																					
5005397-0																							
5005397-0											LP2	6	C	CFY									
5005397-0																							
5005399-0	JOY		MINER	305"	106"	42"	11'	16'															
5005399-0		14 CM																					
5005399-0																							
5005399-0									20043	3	150												
5005399-0									MCI50XP	3	50,65 OR 75												
5005399-0											LP	3	C	CFY									
5005399-0											LP2	2	C	CFY									
5005399-0	FLETCHER		BOLTER	306"	114"	30"	42"	NA								YES							
5005400		DDO																					
5005400		DDR																					
5005400		RR II																					
5005400																							
5005400											LP	6	C	CFY									
5005400											LP2	2	C	CFY									

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005400																							
5005401-0	FLETCHER		BOLTER	312"	108"	42"	8'	22'									YES	28575F-EL	E				
5005401-0		DDO																					
5005401-0		DDR																					
5005401-0		RR II																					
5005401-0											LP	2	C	CFY									
5005401-0											LP2	6	C	CFY									
5005401-0																		28575F-EL	E				
5005402-0	JOY		BOLTER	256"	126"	65"	9'	20'									YES						
5005402-0																				000205	B	28575F-EL	F
5005402-0			2036&2337MULTIBOLTER																				
5005402-0											LP	3	C	CFY									
5005402-0											LP2	6	C	CFY									
5005402-0																		28575F-EL	E				
5005403-0	JOY		BOLTER	256"	126"	65"	9'	20'									YES						
5005403-0																				000204	B	28575F-EL	F
5005403-0			2036 MULTIBOLTER																				
5005403-0			2337 MULTIBOLTER																				
5005403-0											LP	1	C	CFY									
5005403-0											LP2	7	C	CFY									
5005403-0																		28575F-EL	E				
5005405-0	JOY		MINER	306"	115"	40"	11'	20'								RIGHT							
5005405-0		12 CM / SCR																					
5005405-0									20043	3													
5005405-0									MCI50XP	3													
5005405-0											LP	4	C	CFY									
5005405-0																		28575F-EL	F				
5005406	JOY		MINER	306"	115"	40"	11'	20'								RIGHT							
5005406		12 CM / SCR																					
5005406																							
5005406									MCI50XP	3													
5005406											LP	4	C	CFY									
5005406																		28575F-EL	F				
5005409-0	FLETCHER		BOLTER	276"	108"	57"	12'	20'									YES						
5005409-0		DDO																					
5005409-0		DDR																					
5005409-0		HDDO																					
5005409-0		HDDR																					
5005409-0											LP2	5	C	CFY									
5005409-0																		28575F-EL	F				
5005410-0	JOY		BOLTER	258"	128"	60"	11'	23'									YES						
5005410-0																				000203	B	28575F-EL	F
5005410-0			MULTIBOLTER 2337-4D																				
5005410-0											LP	3	C	CFY									
5005410-0											LP2	5	C	CFY									
5005410-0																		28575F-EL	F				
5005411-0	JOY		MINER	300"	124"	41"	12'	20'															
5005411-0		12 CM																					
5005411-0																							
5005411-0									20043	3													
5005411-0									MCI50XP	3													
5005411-0											LP2	2	C	CFY									
5005411-0																		28575F-EL	F				
5005412-0	JOY		BOLTER	252"	126"	65"	12'	20'															
5005412-0																				000202	B	28575F-EL	F
5005412-0			2036 MULTIBOLTER																				
5005412-0			2337 MULTIBOLTER																				
5005412-0											LP	3	C	CFY									
5005412-0											LP2	6	C	CFY									
5005412-0																		28575F-EL	F				
5005413-0	JOY		MINER	315"	120"	40"	12'	20'								LEFT							
5005413-0		12 CM / SCR																					
5005413-0																							
5005413-0									20043	4													
5005413-0									MCI50XP	4													
5005413-0											LP2	2	C	CFY									
5005413-0																		28575F-EL	F				
5005418-0	FLETCHER		BOLTER	252"	108"	32"	6'	20'									NO						
5005418-0		DDO																					
5005418-0		DDR																					
5005418-0		RR II																					
5005418-0											LP2	4	C	CFY									
5005418-0																		28575F-EL	F				
5005419-0	LONG-AIRDOX		BOLTER	319"	108"	30"	10'	20'									YES						
5005419-0		ARB2-52A																					
5005419-0		RB2-52A																					
5005419-0		RB2-88A																					
5005419-0											LP2	5	C	CFY									
5005419-0																		28575F-EL	F				
5005420-0	JOY		MINER	321"	124"	39"	12'	20'								LEFT							

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005420-0		14 CM \ SCR																					
5005420-0									20043	3	150												
5005420-0									MCI50XP	3	50, 60 or 75												
5005420-0												LP	2		CF			28575F-EL	F				
5005421-0	JOY		MINER	321"	124"	39"	12'	20'								LEFT							
5005421-0		14 CM \ SCR																					
5005421-0									20043	3	150												
5005421-0									MCI50XP	3	50, 65 or 75												
5005421-0												LP2	2		CF			28575F-EL	F				
5005422-0	FLETCHER		BOLTER	291"	114"	49"	12'	20'									YES						
5005422-0		DDO																					
5005422-0		DDR																					
5005422-0		HDDR																					
5005422-0												LP2	5	C	CFY			28575F-EL	F				
5005423-0	FLETCHER		FACE DRILL	384"	84"	45"	8'	20'															
5005423-0		DR FACE DRILL																					
5005423-0									20043	3	150												
5005423-0									30000	3	50 OR 75												
5005423-0									MCI50XP	3	50,65,71 OR 75												
5005423-0												LP2	3	CFY	CFY			28575F-EL	F				
5005424-0	JOY		MINER	307"	115"	25"	11'	20'										28575F-EL	F				
5005424-0		14 CM \ SCR																					
5005424-0									20043	3	150												
5005424-0									MCI50XP	3	50,65,71 OR 75												
5005424-0												LP2	2	C	CFY			28575F-EL	F				
5005425-0	FLETCHER		BOLTER	266"	126"	52"	10'	20'									YES						
5005425-0		HDDR																					
5005425-0												LP2	7	C	CFY			28575F-EL	G				
5005425-0																							
5005427-0	JOY		MINER	307"	115"	25"	11'	20'										28575F-EL	G				
5005427-0		14 CM / SCR																					
5005427-0									20043	3	150												
5005427-0									MCI50XP	3	50,65 or 75												
5005427-0												LP2	2	C	CFY			28575F-EL	G				
5005428-0	FLETCHER		BOLTER	276"	114"	52"	12'	20'									YES						
5005428-0		HDDR																					
5005428-0												LP2	6	C	CFY			28575F-EL	G				
5005430-0	FLETCHER		BOLTER	276"	114"	52"	12'	20'									YES						
5005430-0		HDDR																					
5005430-0												LP2	7	C	CFY			28575F-EL	G				
5005431-0	JOY		MINER	312"	120"	28"	10'	20'										28575F-EL	G				
5005431-0		14 CM \ SCR																					
5005431-0									20043	3	150												
5005431-0									MCI50XP	3	50,65 or 75												
5005431-0												LP2	2	C	CYF			28575F-EL	G				
5005433-0	JOY		BOLTER	256"	126"	65"	12'	20'									YES						
5005433-0		2036 MULTIBOLTER																					
5005433-0		2337 MULTIBOLTER																					
5005433-0												LP	2	C	CFY								
5005433-0												LP2	4	C	CFY			28575F-EL	G				
5005434	FLETCHER		BOLTER	310"	112"	42"	10'	20'									YES						
5005434		HDDR																					
5005434												LP2	6	C	CFY			28575F-EL	G				
5005435-0	FLETCHER		BOLTER	276"	114"	52"	12'	20'									YES						
5005435-0		HDDR																					
5005435-0												LP2	6	C	CFY			28575F-EL	G				
5005439	EIMCO		MINER	324"	122"	48"	10'	20'										28575F-EL	G				
5005439		2810																					
5005439									20043	3	150												
5005439									MCI50XP	3	50, 65, 71 or 75												
5005439												LP2	2	C	CFY			28575F-EL	G				
5005441-0	FLETCHER		BOLTER	276"	114"	52"	8'	20'									YES						

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005441-0																				001201	B	28575F-EL	G
5005441-0																			031102	C			
5005441-0		DDO																					
5005441-0		DDR																					
5005441-0		RRII																					
5005441-0												LP2	5	C	CFY								
5005441-0																		28575F-EL	G				
5005442-0	GENERIC		GEHERIC S.P.E.	N/A	168" MAX.	84" MAX.	7'	14'															
5005442-0																				060601	B	28575F-EL	J
5005442-0		GENERIC																					
5005442-0									20043	4	150												
5005442-0									MCI50XP	4	65, 71 & 75												
5005442-0																		28575F-EL	G				
5005443-0	FLETCHER		FACE DRILL	528"	108"	42"	10'	20'															
5005443-0		DR																					
5005443-0									20043	4	150												
5005443-0												LP2	4	C	CFY								
5005443-0																		28575F-EL	G				
5005444-0	FLETCHER		BOLTER	310"	126"	36"	6'	20'									NO						
5005444-0		DDO																					
5005444-0		DDR																					
5005444-0		RRII																					
5005444-0									20043	3	150												
5005444-0									30000	3	50 or 75												
5005444-0									MCI50XP	3	50, 65, 71 or 75												
5005444-0												LP2	3	C	CFY								
5005444-0																		28575F-EL	G				
5005445-0	EIMCO		MINER	312"	132"	22"	42"	N/A															
5005445-0		2810																					
5005445-0		DASH ZERO																					
5005445-0									20043	2	150												
5005445-0									MCI50XP	2	65, 71 or 75												
5005445-0												LP	2	C	CFY								
5005445-0																		28575F-EL	G				
5005446-0	EIMCO		FACE DRILL	321"	87"	61"	10'	20'															
5005446-0		SECOMA																					
5005446-0									20043	4	150												
5005446-0									MCI50XP	4	50, 65, 71 & 75												
5005446-0												LP2	3	C	CFY								
5005446-0																		28575F-EL	G				
5005447-0	FLETCHER		BOLTER	276"	114"	52"	12'	20'									YES						
5005447-0		HDDR																					
5005447-0												LP2	7	C	CFY								
5005447-0																		28575F-EL	G				
5005448-0	JOY		MINER	391"	132"	55"	12'	19'															
5005448-0		IMM																					
5005448-0									20043	3	150												
5005448-0									MCI50XP	3	50 or 65												
5005448-0												LP	6	C	CFY								
5005448-0												LP2	2	C	CFY								
5005448-0																		28575F-EL	G				
5005450-0	EIMCO		BOLTER	385"	87"	61"	10'	20'									YES						
5005450-0		SECOMA																					
5005450-0												LP	1	C									
5005450-0												LP2	5	C									
5005450-0																		28575F-EL	G				
5005451-0	FLETCHER		BOLTER	310"	126"	36"	8'	20'									NO						
5005451-0		DDO																					
5005451-0		DDR																					
5005451-0		RRII																					
5005451-0																							
5005451-0									20043	3	150												
5005451-0									30000	3	50 OR 75												
5005451-0									MCI50XP	3	50, 65, 71 OR 75												
5005451-0												LP	1	C	CFY								
5005451-0												LP2	3	C	CFY								
5005451-0																		28575F-EL	G				
5005452-0	SHLAND MACHINERY		PERSONNEL CARRIER	162"	58"	29"	2.4'	4.8'															
5005452-0		12 P																					
5005452-0																							
5005452-0									20043	2	150												
5005452-0									MCI50XP	2	50,65,71 OR75												
5005452-0																		28575F-EL	G				
5005453-0	JOY		MINER	312"	120"	28"	10'	20'										LEFT					
5005453-0		14 CM / SCR																					

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scrubber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005453-0									20043 MCI50XP	3 3	150 50, 65 or 75												
5005453-0												LP	4	C	CFY								
5005453-0																		28575F-EL	G				
5005454-0	JOY		MINER	312"	120"	28"	5'	20'								LEFT							
5005454-0		14 CM \ SCR																					
5005454-0									20043 MCI50XP	3 3	150 50, 65 OR 75												
5005454-0												LP	2		CFY								
5005454-0																		28575F-EL	G				
5005455-0	FLETCHER		BOLTER	300"	120"	42"	6'	20'								YES							
5005455-0		DDO																					
5005455-0		DDR																					
5005455-0		RRII																					
5005455-0												LP2	5	C	CFY								
5005455-0																		28575F-EL	G				
5005457-0	FLETCHER		BOLTER	300"	108"	42"	7'	20'								NO							
5005457-0		HDDR																					
5005457-0									20043 MCI50XP	2 2	150 50,65,71 OR 75												
5005457-0												LP	2	C	CFY								
5005457-0												LP2	4	C	CFY								
5005457-0																		28575F-EL	G				
5005459-0	JOY		MINER	314"	120"	28"	10'	20'								LEFT							
5005459-0		14 CM SCR																					
5005459-0									20034 MCI50XP	3 3	150 50,65,71 OR 75												
5005459-0												LP	2	C	CFY								
5005459-0												LP2	1	C	CFY								
5005459-0																		28575F-EL	G				
5005460-0	HYDRAMATIC ENG.		BOLTER	270"	126"	44"	12'	20'															
5005460-0		ARO 4A24-1628-WT																					
5005460-0		ARO 4BOO-1832-WT																					
5005460-0												LP2	6	C	CFY								
5005460-0																		28575F-EL	G				
5005461-0	JOY		MINER	300"	124"	41"	12'	20'								LEFT							
5005461-0		12 CM / SCR																					
5005461-0									20043 MCI50XP	3 3	150 50,65,71 OR 75												
5005461-0												LP2	2	C	CFY								
5005461-0																		28575F-EL	G				
5005462-0	JOY		MINER	316"	126"	55"	10'	20'								LEFT							
5005462-0		12 CM / SCR																					
5005462-0									20043 MCI50XP	4 4	150 50,65,71 or 75												
5005462-0												LP2	2	C	CFY								
5005462-0																		28575F-EL	G				
5005463-0	DBT AMERICA		MINER	322"	125"	29"	10'	20'								LEFT							
5005463-0		30 M 2																					
5005463-0									20043 MCI50XP	3 3	150 50,65,71 OR 75												
5005463-0												LP2	2	C	CFY								
5005463-0																		28575F-EL	G				
5005467-0	JOY		CUTTER	384"	84"	30"	5'	20'															
5005467-0		11 RU																					
5005467-0									20043 MCI50XP	2 2	150 50,65,71 OR 75												
5005467-0												LP2	5	C	CFY								
5005467-0																		28575F-EL	G				
5005468-0	EIMCO		BOLTER	220"	80"	36"	8'	20'								NO							
5005468-0		320"																					
5005468-0		370"																					
5005468-0												LP2	4	C	CFY								
5005468-0																		28575F-EL	G				
5005469-0	EIMCO		BOLTER	220"	80"	36"	42'	NA								NO							
5005469-0		320																					
5005469-0		370																					
5005469-0												LP2	2	C	CFY								
5005469-0																		28575F-EL	G				
5005470-0	DBT AMERICA		MINER	322"	125"	29"	10'	20'								LEFT							
5005470-0		30 M 2																					
5005470-0									20043	3	150												

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005470-0									MCI50XP	3	50,65 OR 75													
5005470-0												2		C				28575F-EL	G					
5005471-0	JOY		MINER	336"	115"	26"	9'	20'								RIGHT								
5005471-0		14 CM / SCR																						
5005471-0									20043	3	150													
5005471-0									MCI50XP	3	50, 65 OR 75													
5005471-0												4	C	CFY			28575F-EL	G						
5005473-0	DBT AMERICA		MINER	322"	125"	29"	10'	20'								LEFT								
5005473-0																			030201	B	28575F-EL	G		
5005473-0																			030504	C	34332	A		
5005473-0		30 M 2																						
5005473-0		30 M 3																						
5005473-0									20043	3	150													
5005473-0									MCI50XP	3	50, 65 OR 75													
5005473-0												2	C	CYF			28575F-EL	G						
5005474-0	JOY		MINER	MAX.-300"	108"	42"	11'	16'																
5005474-0		14 CM																						
5005474-0									MCI50XP	3	50, 65 OR 75													
5005474-0												2	C	CYF										
5005474-0												2	C	CYF										
5005474-0	FLETCHER		BOLTER	266"	92"	36"	7'	20'																
5005476-0																								
5005476-0		DR																						
5005476-0		LTDO																						
5005476-0									MCI50XP	2	50, 65 OR 75													
5005476-0												5	C	CYF										
5005476-0																								
5005481-0	GENERIC		MINER	312"	119"	28"	10'	20'								LEFT								
5005481-0		GENERIC																		060702	B	28575F-EL	J	
5005481-0																								
5005481-0									20043	3	150													
5005481-0									30000	3	50 OR 75													
5005481-0									MCI50XP	3	50													
5005481-0												2	C	CYF										
5005481-0												1	C	CYF										
5005482-0	JOY		MINER	312"	118"	40"	12'	20'								LEFT								
5005482-0		12 CM W/SCR																						
5005482-0									20043	4	150													
5005482-0									MCI50XP	4	50, 65 OR 75													
5005482-0												2	C	CYF										
5005485-0	FLETCHER		BOLTER	291"	114"	49"	10'	20'																
5005485-0		DDO																						
5005485-0		DDR																						
5005485-0		HDDR																						
5005485-0																								
5005485-0												8	C	CFY										
5005485-0																								
5005487-0	FLETCHER		BOLTER	280"	126"	52"	8'	20'																
5005487-0		DDO																						
5005487-0		DDR																						
5005487-0																								
5005487-0									20043	2	150													
5005487-0									MCI50XP	2	50,65,71 & 75													
5005487-0												2	C	CFY										
5005487-0												6	C	CFY										
5005488-0	JOY		MINER	312"	120"	40"	8'	20'								LEFT								
5005488-0																								
5005488-0		12 CM \ SCR \ RC																			031101	B	28575F-EL	G
5005488-0									20043	3	150													
5005488-0									571390-131	3	50 OR 75													
5005488-0									MCI50XP	3	50,65,71 OR 75													
5005488-0												2	C	CFY										
5005489-0	FLEATCHER		BOLTER	204"	90"	25"	3.5'	N/A																
5005489-0		LTDO																						
5005489-0																								
5005489-0												4	C	CFY										
5005489-0																								

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005490-0	JOY		MINER	307"	115"	29"	6'	20'								LEFT							
5005490-0		14 CMSCR\RC																					
5005490-0									20043	3	150												
5005490-0									MCI50XP	3	50,65,71 & 75												
5005490-0												LP2	2	C	CYF								
5005490-0																	28575F-EL	G					
5005491-0	JOY		MINER	300"	124"	40"	8'	20'								LEFT							
5005491-0		12 CMSCR\RC																					
5005491-0									20043	7	150												
5005491-0									MCI50XP	7	50,65,71 & 75												
5005491-0																		28575F-EL	G				
5005493-0		ABM 25																					
5005493-0												LP2	4	C	CFY								
5005493-0	ALPINE		MINER	312"	120"	56"	10'	20'															
5005493-0		ABM 25																					
5005493-0												LP2	4	C	CFY								
5005493-0																							
5005495-0	JOY		MINER	312"	118"	40"	12'	20'								LEFT							
5005495-0		12 CMSCR																					
5005495-0									20043	4	150												
5005495-0									MCI50XP	4	50,65,71 & 75												
5005495-0												LP2	2	C	CFY								
5005496-0	JOY		MINER	312"	120"	28"	10'	20'								L & R							
5005496-0		14 CMSCR																					
5005496-0									MCI50XP	3	50,65,71 & 75												
5005496-0												LP2	2		C								
5005496-0																							
5005498-0	JOY		MINER	300"	120"	50"	8'	20'								LEFT							
5005498-0		12 CMSCR\RC																					
5005498-0									20043	7	150												
5005498-0									MCI50XP	7	50,65,71 & 75												
5005498-0																							
5005499-0	FLETCHER		BOLTER	240"	84"	36"	10'	20'															
5005499-0		DR																					
5005499-0																							
5005499-0												LP2	6	C	CFY								
5005501-0	JOY		MINER	312"	120"	28"	10'	20'								LEFT	NO						
5005501-0		12 CMSCR																					
5005501-0		14 CMSCR																					
5005501-0									20043	3	150												
5005501-0									MCI50XP	3	50,65,71&75												
5005501-0												LP	2		CYF								
5005501-0												LP2	1		C								
5005501-0	JOY		MINER	312"	120"	50"	10'	20'								LEFT							
5005502-0																							
5005502-0		12 CM \ SCR \ RC																		070201	B	28575F-EL	J
5005502-0									20043	4	150												
5005502-0									MCI50XP	4	50,65,71 & 75												
5005502-0												LP	3		C								
5005503-0	JOY		MINER	300"	124"	46"	12'	20'								LEFT	NO						
5005503-0		12 CM\SCR																					
5005503-0									20043	3	150												
5005503-0									MCI50XP	3	50,65,71 & 75												
5005503-0												LP2	2	C	CYF								
5005503-0																							
5005505-0	JOY		MINER	307"	115"	29"	10'	20'								LEFT	NO						
5005505-0		14 CM \ SCR																					
5005505-0									20043	3	150												
5005505-0									MCI50XP	3	50,65,71 & 75												
5005505-0												LP2	2		25W C								
5005505-0	JOY		MINER	312"	120"	28"	10'	20'								LEFT	NO						
5005506-0		12 CM \ SCR																					
5005506-0		14 CM \ SCR																					
5005506-0									20043	3	150												
5005506-0									MCI50XP	3	50,65,71 & 75												
5005506-0												LP	2		CYF								

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005506-0												LP2	1		C			28575F-EL	H				
5005506-0																							
5005507-0	JOY		MINER	300"	120"	120"	12'	20'								LEFT	NO						
5005507-0		12 CM \ SCR																					
5005507-0									20043	3	150												
5005507-0									MCI50XP	3	50,65,71 & 75												
5005507-0												LP2	2	C	CYF			28575F-EL	H				
5005508-0	JOY		MINER	312"	116"	40"	8'	20'								LEFT							
5005508-0		12 CM \ SCR \ RC																					
5005508-0									20043	3	150												
5005508-0									571390-131	3	50 OR 75												
5005508-0									MCI50XP	3	50, 65,71 OR 75												
5005508-0												LP2	2	C	CFY			28575F-EL	H				
5005509-0	SCHROEDER		FICE DRILL	360"	86"	30"	10'	20'								NA	NA						
5005509-0		2000A																					
5005509-0									20043	2	150												
5005509-0									MCI50XP	2	50,65,71 & 75												
5005509-0												LP2	5	C	CYF			28575F-EL	H				
5005510-0	JOY		MINER	327"	120"	50"	8'	20'								LEFT	NA						
5005510-0		12 CM \ SCR																					
5005510-0									20043	5	150												
5005510-0									MCI50XP	5	50,65,71 & 75												
5005510-0												LP2	2	C	CYF			28575F-EL	H				
5005511-0	FLETCHER		BOLTER	360"	104"	46"	7'	20'								NA	NO						
5005511-0		DDO																					
5005511-0		DDR																					
5005511-0		HDDO																					
5005511-0		HDDR																					
5005511-0									20043	2	150												
5005511-0									MCI50XP	2	50,65,71 & 75												
5005511-0												LP	2	C	CYF								
5005511-0												LP2	4	C	CYF			28575F-EL	H				
5005512-0	JOY		MINER	327"	120"	50"	12'	20'								LEFT							
5005512-0		12 CN W \ SCR																					
5005512-0									20043	5	150												
5005512-0									MCI50XP	5	50,65,71 OR 75												
5005512-0												LP2	2	C	CFY			28575F-EL	H				
5005514-0	VOEST ALPINE		ROADHEAD R	306"	68"	67"	8'	15'										28575F-EL	H				
5005514-0		F6A																					
5005514-0									20043	2	150												
5005514-0									MCI50XP	2	50,65,71 & 75												
5005514-0												LP2	2	C	CFY			28575F-EL	H				
5005515-0	JOY		MINER	312"	120"	28"	10'	20'								L/R							
5005515-0		14 CM \ SCR																					
5005515-0									20043	3	150												
5005515-0									MCI50XP	3	50,65,71 & 75												
5005515-0												LP2	2		C			28575F-EL	H				
5005517-0	JOY		MINER	315"	120"	40"	10'	20'								LEFT							
5005517-0																							
5005517-0		12 CM \ SCR \ REMOTE																		071001	B	28575F-EL	J
5005517-0																				090304	C	28575F-EL	J
5005517-0									20043	4	150												
5005517-0									MCI50XP	4	50,65,71&75												
5005517-0												LP2	2	C	CYF			28575F-EL	H				
5005519-0	JOY		MINER	307"	120"	40"	8'	20'								LEFT							
5005519-0		12 CM \ SCR \ RC																					
5005519-0									20043	3	150												
5005519-0									MCI50XP	3	50,65,71 & 75												
5005519-0												LP2	2	C	C.F.Y			28575F-EL	H				

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005521-0	JOY		MINER	318"	120"	40"	10'	20'								LEFT							
5005521-0		14 CM \ SCR \ RC																					
5005521-0									20043	4	150												
5005521-0									MCI50XP	4	50,65,71 OR 75												
5005521-0												LP2	3	C	CFY			28575F-EL	H				
5005522-0	JOY		MINER	307"	120"	40"	8'	20'								L or							
5005522-0		12 CMSCR/RC																	051105	B	28575F-EL	H	
5005522-0									20043	3	150												
5005522-0									571390-131	3	50 & 75												
5005522-0									MCI50XP	3	50,65,71 & 75												
5005522-0												LP2	2		C								
5005524-0	DRAMATIC ENGINEER		FACE DRILL	456"	112"	43"	12'	26'										28575F-EL	H				
5005524-0		ARO 4BOO-1832-WT																					
5005524-0									20043	4	150												
5005524-0									MCI50XP	4	50,65,71 & 75												
5005524-0												LP2	5	C	CFY								
5005524-0	DRAMATIC ENGINEER		BOLTER	270"	126"	44"	12'	26'									YES						
5005525-0		ARO 4A24-1628-WT																					
5005525-0		ARO 4BOO-1832-WT																					
5005525-0												LP2	6	C	CFY								
5005525-0	DRAMATIC ENGINEER		BOLTER	257"	112"	53"	12'	26'									YES						
5005526-0		ARO 2TB-WT-PC																					
5005526-0												LP2	5	C	CFY								
5005526-0																							
5005527-0	FLETCHER		FACE DRILL	384"	84"	45"	10'	24'															
5005527-0		DR																					
5005527-0									20043	4	150												
5005527-0									MCI50XP	4	50,65,71 & 75												
5005527-0												LP2	3	C	CFY								
5005529-0	JOY		MINER	316"	124"	54"	8'	20'								DUAL							
5005529-0		12 CM \ SCR																					
5005529-0									20043	3	150												
5005529-0									571390-131	3	50 or 75												
5005529-0									MCI50XP	3	50,65,71 or 75												
5005529-0												LP2	2		C								
5005530-0	JOY		MINER	312"	120"	28"	10'	20'								LEFT							
5005530-0		14 CM \ SCR \ RC																					
5005530-0									20043	3	150												
5005530-0									MCI50XP	3	50,65,71 or 75												
5005530-0												LP	4		CFY								
5005531-0	GENERIC		S.P.E.	NA	144" MAX.	84" MAX.	7'	12'															
5005531-0																							
5005531-0		GENERIC																		060603	B	28575F-EL	J
5005531-0									20043	4	150												
5005531-0									MCI50XP	4	50,65,71 & 75												
5005531-0																							
5005532-0	JOY		MINER	316"	124"	54"	8'	20'								DUAL							
5005532-0		12 CM \ SCR \ RC																					
5005532-0									20043	3	150												
5005532-0									MCI50XP	3	50,65,71 or 75												
5005532-0												LP2	2	25W.C	CFY								
5005533-0	JOY		MINER	324"	118"	40"	8'	24'								LEFT							
5005533-0		12 CM \ SCR \ RC																					
5005533-0									20043	4	150												
5005533-0									MCI50XP	4	50,65,71 or 75												
5005533-0												LP2	2		CFY								
5005534-0	VOEST-ALPINE		MINER	306"	120"	38"	9'	17'															
5005534-0		ABM10																					
5005534-0									20043	2	150												
5005534-0									MCI50XP	2	50,65,71 & 75												

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.					
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.
5005556-0	EIMCO		ROCK DUST TANKER	354"	78"	67"	5.5'	6.5'															
5005556-0		975																					
5005556-0									20043	4	150												
5005556-0									MCI50XP	4	50,65,71 & 75												
5005556-0																		28575F-EL	J				
5005557-0	EIMCO		SCOOP	250"	68"	70"	5.8'	5.6'															
5005557-0		922																					
5005557-0									20043	4	150												
5005557-0									MCI50XP	4	50,65,71 OR 75												
5005558-0	FLETCHER		BOLTER	216"	52"	50"	8'	20'															
5005558-0		DR																					
5005558-0																							
5005558-0																							
5005560-0	JOY		MINER	316"	120"	55"	10'	20'															
5005560-0																							
5005560-0		12 CM \ SCR																					
5005560-0									20043	4	150												
5005560-0									MCI50XP	4	50,65,71 or 75												
5005560-0																							
5005560-0																							
5005560-0																							
5005561-0	DBT		MINER	308"	130"MAX. \ 108"MIN.	27"	3.5'	20'															
5005561-0																							
5005561-0		25M0																					
5005561-0									20043	2	150												
5005561-0									MCI50XP	2	50,65,71 or 75												
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							
5005561-0																							

STE Approval No.	Machine Information						Entry Size		Head Lights			Area lights				Fixture Location		Approval Electrical Dwg.						
	Manufacture	Machine	Type	Lg.	Width	Ht.	Hg.	Width	Head Lights	QTY.	Lamp Wattage	Area lights	Qty.	Globe Color with 20 watt Lamp	Globe Color with 23, 25 or 26 Watt Lamp	Scurber	TRS	First Electrical Dwg.	First Electrical Dwg. Rev.	SNAP Appl. Code No.	Layout Rev.	Electrical Dwg.	Electrical Rev.	
5005588-0									MCI50XP	3	50,65,71 & 75													
5005588-0												LP	6		25W.C									
5005588-0																		28575F-EL	J					
5005589-0	UCYRUS AMERICA		MINER	324"	135"	45"	10'	22'								LEFT	NO							
5005589-0		30 M																						
5005589-0									20043	5	150													
5005589-0									MCI50XP	5	50,65,71 & 75													
5005589-0												LP2	2		25WC									
5005589-0																		28575F-EL	J					
5005593-0	ANCIS ENTERPRISE		LOADER	201"	94"	32"	8'	20'																
5005593-0		FEI-14LM																						
5005593-0												LP	4		C									
5005593-0												LP2	1		C									
5005593-0																		28575F-EL	J					
5005595-0	JOY		MINER	312"	120"	59"	12'	20'								L								
5005595-0		12 CM W/SCR																						
5005595-0									MCI50XP	3	50,65,70 & 75													
5005595-0												LP2	2		25W.C									
5005595-0																		28575F-EL	J					
5005596-0	JOY		MINER	323"	108"	44"	12'	20'								DUAL								
5005596-0		12CM/SCR																						
5005596-0									20043	3	150													
5005596-0									MCI50XP	3	50,65,71 & 75													
5005596-0												LP2	2		CFY									
5005596-0																		28575F-EL	J					
5005597-0	FLETCHER		BOLTER	237"	90"	47"	10'	20'											NO					
5005597-0		LTDO																						
5005597-0												LP	3		CFY									
5005597-0												LP2	3		CFY									
5005597-0																								
5005602-0	UCYRUS AMERICA		090201	324"	135"	45"	10'	22'								LEFT								
5005602-0		30 M																						
5005602-0									20043	5	150													
5005602-0									MCI50XP	5	50, 65, 71 & 75													
5005602-0												LP2	2		25W.C									
5005603-0	JOY		MINER	313"	110"	42"	11'	16'								N/A	N/A							
5005603-0		14 CM																						
5005603-0									20043	3	150													
5005603-0									MCI50XP	3	50,65,71 & 75													
5005603-0												LP	3		CFY									
5005603-0												LP2	2		CFY									
5005604-0	SANDVIK		BOLTER	306"	112"	35"	8'	20'										YES						
5005604-0		DM220																						
5005604-0												LP2	6		CFY									
5005604-0																								
5005606-0	EIMCO		BOLTER	240"	84"	42"	8'	20'										NO						
5005606-0		350																						
5005606-0												LP2	7		CFY									
5005606-0																								
5005608-0	FLETCHER		BOLTER	310"	108"	39"	7'	20'										NO						
5005608-0		DDO																						
5005608-0		DDR																						
5005608-0		RR-II																						
5005608-0												LP	4		CFY									
5005608-0												LP2	2		CFY									
5005609-0	SANDVIK		BOLTER	284"	112"	40"	12'	20'										YES						
5005609-0		DM120																						
5005609-0												LP2	6		25W.C									
5005609-0																								
5005613-0	JOY		MINER	312"	120"	38"	10'	20'								LEFT								
5005613-0		12 CM W/SCR																						
5005613-0		14 CM W/SCR																						
5005613-0									20043	3	150													
5005613-0									MCI50XP	3	50,65,71 & 75													
5005613-0												LP	2		CFY									
5005613-0												LP2	1		C									
5005613-0																								
5005614-0	SANDVIK		BOLTER	284"	112"	40"	8'	20'										YES						
5005614-0		DM130																						
5005614-0												LP2	6		25W.C									

